

Anti Narcolepsy Agents

Armodafinil/Modafinil/Lumryz/Sunosi/Wakix/Xyren/Xywav

Please fax this completed form to (833) 645-2734 OR mail to: Centene Pharmacy Services | 5 River Park Place East, Suite 210 | Fresno, CA 93720. You can also complete online at CoverMyMeds.com.

Date of request:	Reference #:		MAS:	MAS:		
Patient	Date of birth		ProviderOne	ProviderOne ID or Coordinated Care ID		
Pharmacy name	Pharmacy NPI	Telephone numbe		Fax number		
Prescriber	Prescriber NPI	Telephone number		Fax number		
Medication and strength			Directions for use	tions for use Qty/Days supply		
1. Indicate the patient's diagnosis Idiopathic Hypersomnia confirmed with a sleep study and multiple sleep latency test Narcolepsy with Excessive Daytime Sleepiness confirmed with a sleep study and multiple sleep latency test Narcolepsy with Cataplexy confirmed with a sleep study and multiple sleep latency test Obstructive Sleep Apnea with Excessive Daytime Sleepiness confirmed with a sleep study Shift Work Sleep Disorder Other. Specify: 2. Does patient have a history of failure as stated below, contraindication, or intolerance to any of the following (check all that apply): Amphetamine or methylphenidate-based stimulant. Specify duration of trial (number of consecutive days): Armodafinil (Nuvigil). Specify duration of trial (number of consecutive days): Pitolisant (Wakix). Specify duration of trial (number of consecutive days): Sodium oxybate (Xyrem). Specify duration of trial (number of consecutive days): Solriamfetol (Sunosi). Specify duration of trial (number of consecutive days): Other contraindication or intolerance. Specify drug and describe: 3. Is the medication prescribed by, or in consultation with, a neurologist, psychiatrist, or sleep specialist? Yes						
Improvement of patient's symptomsPatient still requires treatment for shift work sleep disorder						
Positive clinical response Reduction of cataplexy events						
For diagnosis of Idiopathic Hypersomnia, answer the following:						

6. Does the provider attest t substance, or medication?	_ _ · ·	xplained by another medical disorder, use of				
For diagnosis of Narcolepsy with Cataplexy, answer the following: 7. Does patient have clinical documentation that supports any of the following (check all that apply): Presence of cataplexy (e.g., documented episodes of sudden loss of muscle tone) Impairment/limitation of activities of daily living (e.g. unable to attend school, unable to attend work, unable to drive)?						
For diagnosis of Obstructive Sleep Apnea with Excessive Daytime Sleepiness, answer the following: 8. Has the patient achieved normalized breathing (< 5 apnea-hypopnea incidences/hr) and oxygenation with continuous positive airway pressure (CPAP) or bilevel positive airway pressure (BIPAP)? Yes No						
9. Does patient have documentation within the past 6 months, demonstrating adherence to any of the following (check all that apply)? CPAP or BIPAP therapy (CPAP or BIPAP is used for 70% of nights for a minimum of 4 hours per night) Mandibular advancement device Other. Specify:						
For diagnosis of Shift Work Sleep Disorder, answer the following: 10. Is there clinical documentation demonstrating concomitant use of nonpharmacologic interventions (i.e., counseling, sleep hygiene)? Yes No						
All requests require chart notes						
 For diagnosis of idiopathic hypersomnia OR narcolepsy, provide the following: Sleep study and multiple sleep latency test (MSLT) Quantitative assessment within the past 6 months (e.g. Epworth Sleepiness Scale, Maintenance of Wakefulness Test) 						
For diagnosis of obstructive sleep a	pnea with excessive daytime sleepines	s, provide the following:				
 Sleep study Quantitative assessment within the past 6 months (e.g. Epworth Sleepiness Scale, Maintenance of Wakefulness Test) Documentation of adherence to CPAP/BIPAP therapy or mandibular advancement device compliance in the last 6 months 						
For continuation of therapy, provide clinical documentation demonstrating disease stability or a positive clinical						
 For obstructive sleep apnea, documentation of adherence to CPAP/BiPAP or mandibular advancement device is required. 						
 For narcolepsy with cataplexy continuation of therapy requests, provide clinical documentation showing a reduction of cataplexy events. 						
For shift work sleep disorder:						
 Documentation patient st Prescriber signature 	ill requires treatment Prescriber specialty	Date				

Centene Pharmacy Services will respond via fax or phone within 24 hours of receipt of the request. Requests for prior authorization must include member name, ID#, and drug name. Please include lab reports with requests when appropriate (e.g., Culture and Sensitivity; Hemoglobin A1C; Serum Creatinine; CD4; Hematocrit; WBC, etc.)